




Front
Side



old mechanism produces the extra facets

Back
Side



The general limitation for number of extra facets will be 1.

In this example, an old mechanism d

From HP Oxygen version 4.8.20 - Improved Functioning for Larger Mass for VG Grades

In HP Oxygen (predecessor of HP Carbon) version 4.8.20 the extra facet option functioning has been improved. The description of the improvement, as well as the general description of the option usage, is presented in the video:

Video Smart Recut Algorithm - Improved Usage of Extra Facets			
Published:		Last Updated:	2019, April 8
v.2.5			
Your browser does not support the HTML5 video element			

Video summary:

- The Allow Girdle Extra Facets option of “13. SmartRecut (Brilliant, Oval)” algorithm
- Before version 4.8.20: sometimes for the rough stones extra facets were not created in spite of the Allow Girdle Extra Facets option selected
- Starting from version 4.8.20: if the creation of girdle extra facets is possible and the Allow Girdle Extra Facets option is selected, they will be always created
- Result: we obtain the maximum mass caused by using the girdle extra facets
- An appraiser controls limitations for the quantity of allowed girdle extra facets by the GirdleCrownExtraFacets and GirdlePavilionExtraFacets parameters

Video keywords: girdle extra facets, smart recut, allow girdle extra facets, rough stones, GirdleCrownExtraFacets, GirdlePavilionExtraFacets

Published in:	Release Notes	2018.12.25 - HPOxygen Server 4.8.20
	Documentation	NA
	Playlists	All Videos
	Also	As Separate Page Specification