

# How to change the logging level

For change the logging level you should edit your msaconfig.xml file in the DM application folder.

Please edit the **MinLevel** value in the **Default** section. You can use one of the following levels:

MinLevel	Description
0	All messages
1	Trace
2	Debug
3	Information
4	Warnings
5	Errors
6	Fatal errors
7+	No output

Example (the highest level of logging):

```
<!-- Default logger - parameters for all loggers, at least Main and Performance loggers -->
<section name="Default">
  <!-- Output to text file true / false. Default false. -->
  <key name="ToFile" value="true"/>
  <!-- Output to console (cout) true / false. Default true. -->
  <key name="ToStdOut" value="false"/>
  <!-- Min log level. 0 - ALL, 6 - FATAL, 7+ - no output -->
  <key name="MinLevel" value="0"/>
  <!-- Filename for logger. Default is "log.txt" -->
  <key name="Filename" value="testlog.log"/>
  <!-- How many log string should be written to file before flush() commands. Default is 200. -->
  <key name="LogFlushThreshold" value="5"/>
</section>
```

## Related articles

- [How to use DM software without MBox hardware](#)
- [How to use DM software with PointGrey cameras](#)
- [Copying configuration from the old DM version](#)
- [How to use DM software with GT1660 cameras](#)
- [How to capture RAW snapshot](#)